Back-UP 24/7 Leitstellenstuhl



100% Körper-Support der Extraklasse



Abb.: Head-UP-Support-Kopfstütze ermöglicht optimale Unterstützung des Kopfes bei gleichzeitiger Sicherstellung der optimalen Blickachse.

cento advanced seating GmbH Welserstraße 4 87463 Dietmannsried Germany

Telefon: +49 8374 2329290 Telefax: +49 8374 2329291 E-Mail: info@cento-as.com Internet: www.cento-as.com



Das Modell Back-UP 24/7 ist speziell für den 24 Stunden/7 Tage-Einsatz in Leitstellen und Kontrollräumen entwickelt. Er besticht durch seine Eigenschaften als strapazierfähiger, langlebiger, ergonomischer und gleichzeitig komfortabler Drehstuhl.

Neu und einzigartig ist sein Back-UP- und Head-UP-Support.

Der Back-UP 24/7 ist mit einer ergonomischen Synchron-Mechanik ausgestattet. Die Mechanik ist auf das Gewicht des jeweiligen Nutzers einstellbar. Dadurch wird der Körper im Wechsel zwischen Ruhe- und Arbeitshaltung bestmöglich unterstützt. Der Freischwingmodus kann auch in verschiedenen Positionen arretiert werden.

Die Doppel-Luftkammer-Beckenstütze ermöglicht das stufenlose Einstellen des erforderlichen Beckenstützpunktes, für ein ermüdungsfreies und rückenfreundliches Sitzen.

Standard sind 4D-Armlehnen. Diese sind

- · in der Breite verstellbar
- höhenverstellbar
- horizontal verstellbar
- Auflage 360° schwenkbar

Abb.: Klapp-Armlehne (optional)

Optional sind Klapp-Armlehnen erhältlich. Diese lassen sich mittels Drehrad in der Neigung verstellen. Sie sind nach oben wegklappbar.

Technische Daten: Back-UP 24/7 Leitstellenstuhl

in Höhe (70 mm) einstellbar und Kopfstütze:

nach vorne neigbar

 Kopfstützen-Seitenteile: um 30° nach vorne neigbar

• Breite / Höhe der Rückenlehne: 490 / 650 mm

 Rückenlehnenneigung: bis 22° in 3 Stufen arretierbar Höhe Schulterstütze: 220 mm, vorwärts neigbar 14° Beckenstütze: Doppel-Luftkammer-System,

separat aufblasbar

• Breite / Tiefe der Sitzfläche: 500 mm / 500 mm

• Verstellbereich der Sitztiefe: 100 mm

• Breite / Länge der Armlehnen: Klapparmlehnen

4D-Armlehnen

• Höhe der 4D-Armlehnen:

• Sitzhöhe:

Sitzflächenneigung:

Fußkreuz:

Gewährleistung:

60 / 370 mm (optional erhältlich) 120 / 230 mm (optional: gepolstert

und bezogen)

bis 100 mm rastend verstellbar

400 - 510 mm

 $+2^{\circ}$ bis -18°

Durchmesser 720 mm

2 Jahre auf alle Teile des Stuhls

Back-UP 24/7 control room chair



100 % top-class body support



Pic.: Head-UP-support-head rest enables an optimum head support securing coevally the visual axis.

cento advanced seating GmbH Welserstraße 4 87463 Dietmannsried Germany

Phone: +49 8374 2329290
Telefax: +49 8374 2329291
E-Mail: info@cento-as.com
Internet: www.cento-as.com



The model Back-UP 24/7 is developed especially for the 24 hours/7 days use in control rooms. It attracts by its features as hard-wearing, persistent, ergonomical and comfortable swivel chair at the same time.

New and unique is its Back-UP- und Head-UP-Support.

The Back-UP 24/7 is equipped with an ergonomical synchronous mechanics.

The mechanics is adjustable to the weight of the respective user. Thereby the body is supported in the best possible way in changing between work and rest. The free-swing mode could be locked in different positions.

The double air chamber pelvis support enables the continuous adjustment to the necessary pelvic position for a fatigue-free and back-friendly seating.

4D-armrests are standard execution. They are

- · adjustable in width
- vertically adjustable
- horizontally adjustable
- Pad rotatable 360°

Pic.: Folding armrests (optionally)

60 / 370 mm (optionally obtainable)

Optionally folding armrests could be obtained. They could be adjusted by a hand wheel regarding inclination. They can be flipped up.

Technical data: Back-UP 24/7 control room chair

• Head rest: adjustable in height (70 mm) and

inclinable forwards

Head rest – side parts: inclinable forwards by 30°

• Width / Height of back rest: 490 / 650 mm

• Back rest inclination: could be locked in 3 steps up to 22°

Height shoulder support: 220 mm, inclinable forwards to14°
 Pelvic support: Double air chamber system,

inflatable separately
 Width / depth seat: 500 mm / 500 mm

• width / depth seat: 500 mm / 500 mm

• Adjustment scope seat depth: 100 mm

• Width / length armrests:

Folding armrests

4D-armrests 120 / 230 mm (optionally: upholstered and covered)

Height 4D-armrests: up to100 mm adjustable latchingly

Seat height: 400 – 510 mm
 Inclination of seat: +2° up to –18°

• Cross base: Diameter 720 mm

• Warranty: 2 years for all parts of the chair